

RACK



Model Name	RACK-407SE-786
System	
CPU	Intel® Core™ i7-9700E i7-9700TE i7-8700 i7-8700T i5-9500E i5-9500TE i5-8500 i5-8500T i3-9100E i3-9100TE i3-8100 i3-8100T G5400 G5400T G4900 G4900T
Speed	2.6GHz 1.8 GHz 3.2 GHz 2.4 GHz 3.0 GHz 2.2 GHz 3.0 GHz 2.1 GHz 3.1 GHz 2.2 GHz 3.6 GHz 3.1 GHz 3.7 GHz 3.1 GHz 3.1 GHz 2.9 GHz
Chipset	Q370
RAM	Dual Channel (Non-ECC) DDR4 2400/2666, 128 GB, 4 x 288-pin DIMM
Operative System	Windows® XP 7 10
Graphics	
Controller	Intel HD Graphics
VRAM	1 GB maximum shared memory with 2 GB and above system memory installed
Input / Output	
VGA	1x
DVI	1x
Ethernet	2x RJ-45, GbE LAN1: Intel 82579LM, GbE LAN2: Intel 82583V
USB	Rear 8 (2 x USB 3.1 Gen 2, 2 x USB 3.1 Gen 1, 4 x USB 2.0) Internal 5 (2 x USB 3.1 Gen 1 via header, 2 x USB 2.0 via header, 1 x USB 2.0 Type-A connector)
Serial	Rear 2x (RS-232): GbE LAN1: Intel I219-LM, GbE LAN2: Intel I211-AT
PS/2	Internal 1x (Optional PS/2 KB/Mouse Cable is required)
Expansion Slots	
PCIe	2x (32-bit/33 MHz)
PCIe x 4 (Gen2)	4x
PCIe x16 (Gen3)	1x
Mechanical	
Housing	SGCC
Mounting	4x Units Rack Mounting
Dimensions	430mm (W) x 176mm (H) x 469mm (D)
Net Weight	10.8 kg
Environmental	
Power Input	230 V 110V / 500W Default
Operating Temperature	0 ~ 55° C
Storage Temperature	-40 ~ 85° C
Conformity	
Certifications	CE

